

EAST Search History**EAST Search History (Prior Art)**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|----------|--|---|------------------|---------|---------------------|
| L5 | 1 | 10/742151 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 13:14 |
| L6 | 1 | 11/506383 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 13:14 |
| L7 | 1 | 10/742151 and asset | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 13:24 |
| L8 | 1 | "7324468".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 13:36 |
| L9 | 14674452 | @ad<"20031219" @rlad<"20031219" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 13:55 |
| L10 | 259 | NIC and power adj sav\$3 and (access adj point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 13:55 |
| L11 | 90 | L10 and L9 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 13:55 |
| L12 | 88 | L10 and L9 and stor\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 13:56 |
| L13 | 90 | L10 and L9 and (stor\$3 buffer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 14:01 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| L14 | 1 | "6961761".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 14:26 |
| L15 | 1 | "6961762".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 14:26 |
| L16 | 3 | "20010031626".pn. "200201326032".pn. "20040076136".pn. "20070162773".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 15:09 |
| L17 | 0 | "200201326032" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 15:10 |
| L23 | 1 | 10/742151 and down | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 15:23 |
| L24 | 1 | 10/742151 and periodic\$5 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 15:26 |
| L25 | 1 | "20010031626".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 17:28 |
| L26 | 1 | "20040076136".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 17:30 |
| S1 | 85 | "6381636" "6532500" "6266721" "6332202" "6163849" "6073255" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 16:15 |
| S2 | 1 | "20050165909" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/04 17:53 |
| S3 | 10 | ("6003081" "6189108" "6263388" "6266696" "6282642").PN. OR ("6381636").URPN. | US_PGPUB; USPAT; USOCR | OR | ON | 2007/10/05 13:52 |

| | | | | | | |
|-----|----------|---|---|----|----|---------------------|
| S4 | 85 | "6381636" "6532500" "6266721" "6332202" "6163849" "6073255" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 13:58 |
| S5 | 16 | S4 and ((access near2 point) hub) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:07 |
| S6 | 5313 | (Desktop near2 management near2 interface) (DMI) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:08 |
| S7 | 3722 | (management near2 information near2 format) (MIF) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:36 |
| S8 | 546780 | gateway\$1 (access near2 point) hub\$1 router\$1 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:28 |
| S9 | 2 | (power near2 down) same (NIC) same S8 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:14 |
| S10 | 57 | (power near2 down) same (NIC) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:14 |
| S11 | 1 | S10 and (S6 and S7) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:14 |
| S12 | 92 | (S6 and S7) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:14 |
| S13 | 14457533 | @ad<"20031219" @rlad<"20031219" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:16 |
| S14 | 39 | S12 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:17 |

| | | | | | | |
|-----|---------|---|---|----|----|---------------------|
| S15 | 14 | S14 and S8 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:18 |
| S16 | 1177939 | gateway\$1 (access near2 point) (AP) hub\$1 router\$1 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:23 |
| S17 | 4806846 | stor\$3 sav\$3 cach\$3 collect\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 15:34 |
| S18 | 1077 | asset with (mobile cellular wireless near2 phone) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:32 |
| S19 | 26 | S16 same S17 same S18 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:34 |
| S20 | 13 | S19 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:35 |
| S21 | 38 | S16 same S17 same (S18 or S7) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:34 |
| S22 | 16 | S21 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:46 |
| S23 | 2564 | S7 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:47 |
| S24 | 0 | S23 and (S8 with S17 with S7) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:48 |
| S25 | 2 | (S8 with S17 with S7) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:49 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S26 | 62 | (S8 with S17) and S7 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:52 |
| S27 | 43 | S26 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:50 |
| S28 | 11 | (S8 with S17 with request\$3) and S7 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 15:27 |
| S29 | 8 | S28 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 14:52 |
| S30 | 11 | (S8 with S17 with (request\$3 quer\$3)) and S7 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 15:27 |
| S31 | 3693 | (S16 near10 S17) with (request query inquiry) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 15:39 |
| S32 | 134 | S31 same transmit\$3 same (mobile cellular) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 15:40 |
| S33 | 84 | S32 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:15 |
| S34 | 878 | gateway near10 stor\$3 near10 request\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:15 |
| S35 | 136 | S34 same (mobile cellular) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:16 |
| S36 | 103 | S35 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:16 |

| | | | | | | |
|-----|--------|---|---|----|----|---------------------|
| S37 | 1186 | prox\$3 with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:30 |
| S38 | 786 | S37 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:26 |
| S39 | 179937 | prox\$3 (base near2 station) (point near5 presence) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:34 |
| S40 | 116510 | S39 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:34 |
| S41 | 179934 | prox\$3 (base near2 station) (point near5 presence) with S17 with (quer\$4 request\$3) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:35 |
| S42 | 116490 | S40 and S41 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:33 |
| S43 | 117 | S42 and S7 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:33 |
| S44 | 10451 | (prox\$3 (base near2 station) (point near5 presence) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:34 |
| S45 | 8057 | S44 and S13 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:34 |
| S46 | 5044 | (prox\$3 (base near2 station) (point near5 presence) with S17 with (quer\$4 request\$3) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:36 |
| S47 | 1232 | S45 and S46 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:37 |

| | | | | | | |
|-----|----------|--|---|----|----|---------------------|
| S48 | 0 | S47 and S7 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/05 16:36 |
| S49 | 2800 | (access near2 point) near5 stor\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 16:17 |
| S50 | 14459067 | @ad<"20031219" @rlad<"20031219" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 16:16 |
| S51 | 1862 | S50 and S49 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 16:16 |
| S52 | 62 | (access near2 point) near5 stor\$3 near5 MAC near2 address | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 17:46 |
| S53 | 28 | S52 and S50 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 16:17 |
| S54 | 0 | ("2004/0120279").URPN. | USPAT | OR | ON | 2007/10/10 17:00 |
| S55 | 1 | "6982982" | USPAT | OR | ON | 2007/10/10 17:00 |
| S56 | 128 | (access near2 point) near5 stor\$3 near5 request\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 18:09 |
| S57 | 74 | S56 and S50 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 17:49 |
| S58 | 274188 | power near2 consumption | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 18:00 |
| S59 | 4 | S56 and S58 and S50 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 17:58 |

| | | | | | | |
|-----|--------|--|---|----|----|---------------------|
| S60 | 303030 | power near2 (consumption down) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 18:09 |
| S61 | 10 | S56 and S60 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 18:00 |
| S62 | 4 | S61 and S50 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 18:00 |
| S63 | 0 | ("2004/0151147").URPN. | USPAT | OR | ON | 2007/10/10 18:08 |
| S64 | 2800 | (access near2 point) near5 stor\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 18:09 |
| S65 | 308701 | power\$2 near2 (consumption down) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/10 18:12 |
| S66 | 219 | S64 and S65 and S50 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/11 12:37 |
| S67 | 1 | "7158778".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/11 12:37 |
| S68 | 10 | ("20020019215" "20030103451" "5504804" "5570366" "5654959" "5991287" "6091947" "6463307" "6507735" "6687504").PN. OR ("7158778").URPN. | US_PGPUB; USPAT; USOCR | OR | ON | 2007/10/11 12:37 |
| S69 | 2 | ("2002/0019215").URPN. | USPAT | OR | ON | 2007/10/11 12:46 |
| S70 | 11 | WOL near2 process | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/11 16:30 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S71 | 1976 | 455/412 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/11 16:31 |
| S72 | 8704 | 709/227 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2007/10/11 16:31 |
| S73 | 1 | "20050165909" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/03/31 16:51 |
| S74 | 1 | "6381636".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/03/31 16:51 |
| S75 | 1 | "20050165909" and forward | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/03/31 19:30 |
| S76 | 1 | "20050165909" and valid | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/04/01 12:39 |
| S77 | 1 | "6381636".pn. and hub | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/04/01 12:46 |
| S78 | 10 | ("6003081" "6189108" "6263388" "6266696" "6282642").PN. OR ("6381636").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 12:47 |
| S79 | 7 | "6684326".pn. "7003331".pn. "7082129".pn. "7146433".pn. "6925557".pn. "6687348".pn. "7185229".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 12:58 |
| S80 | 2 | S79 and "AP" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:02 |
| S81 | 2 | "20040002366" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:05 |
| S82 | 2 | "20040002366" and "AP" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:06 |

| | | | | | | |
|------|---------|---|------------------------------|----|----|---------------------|
| S83 | 5 | "20050036467" "20040077353" "20040081076" "20020101557" "20030086515" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:12 |
| S84 | 5 | "6532500".pn. "6266721".pn. "6332202".pn. "6163849".pn. "6073255".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:14 |
| S85 | 692768 | (acsss near2 point) "AP" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:18 |
| S86 | 115510 | S85 same (database stor\$3 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:18 |
| S88 | 22573 | S85 with (database stor\$3 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:19 |
| S89 | 2 | S88 same (asset near2 information) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:19 |
| S90 | 281066 | access\$3 with information | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:22 |
| S92 | 4836147 | @ad<"20031219" @rlad<"20031219" | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:24 |
| S94 | 19777 | S90 and (power near2 (sav\$3 down off)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:24 |
| S95 | 419 | S92 and S94 and S88 and S90 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 13:25 |
| S96 | 51247 | (Access near2 point) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 14:09 |
| S97 | 459 | S96 with cach\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 14:09 |
| S98 | 328 | S97 and S92 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 14:09 |
| S99 | 25 | S96 with (cach\$3 with table) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 14:10 |
| S100 | 42 | S96 same (cach\$3 same (requested near2 (data content information))) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 14:12 |
| S101 | 34 | S100 and S92 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 14:13 |

| | | | | | | |
|------|------|--|------------------------------|----|----|---------------------|
| S102 | 19 | S101 and (request near2 server) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 14:18 |
| S103 | 1060 | (Access near2 point) same (request\$2 near2 information) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:12 |
| S104 | 677 | S103 and S92 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:12 |
| S105 | 142 | S104 and (power near2 (sav \$3 down off)) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:12 |
| S106 | 1 | "20050165909" and media | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:13 |
| S107 | 127 | (Access near2 point) same (request\$2 near2 information) same table | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:21 |
| S108 | 1 | (Access near2 point) same (request\$2 near2 information) same (address near2 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:23 |
| S109 | 214 | (Access near2 point) same (address near2 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:24 |
| S110 | 130 | (Access near2 point) with (address near2 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:24 |
| S111 | 82 | S110 and S92 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:24 |
| S112 | 4 | S110 and S92 and (stor\$3 near5 mobile near5 information) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:29 |
| S113 | 178 | ((access near2 point) AP) same (stor\$3 near5 mobile near5 information) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:33 |
| S114 | 89 | S113 and S92 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:33 |
| S115 | 51 | ((access near2 point) AP) same (stor\$3 near5 mobile near5 information) and (((access near2 point) AP) with table) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:35 |
| S116 | 25 | S115 and S92 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:37 |
| S117 | 192 | ((access near2 point) AP) same (valid\$5) same (stor\$3 near5 data) | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:55 |

| | | | | | | |
|------|----------|---|---|----|----|---------------------|
| S118 | 99 | S117 and S92 | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 15:55 |
| S119 | 6127 | 709/228,227.ccls. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/04/01 16:35 |
| S120 | 428 | periodic\$4 same (wake) same (power near2 (up down on off)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:45 |
| S121 | 99 | S120 and (access near2 point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:45 |
| S122 | 14561968 | @ad<"20031219" @rlad<"20031219" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:45 |
| S123 | 71 | S121 and S122 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:45 |
| S124 | 9677 | (stor\$3 request) with (access near2 point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:48 |
| S125 | 88 | (stor\$3 near2 request) with (access near2 point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:48 |
| S126 | 0 | S125 and S123 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:49 |
| S127 | 6284 | (stor\$3) with (access near2 point) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:49 |
| S128 | 5 | S127 and S123 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:49 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S129 | 1685 | periodic\$4 same (wake) same (power) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 13:59 |
| S130 | 3092 | ((stor\$3 buffer\$3) near2 ((request\$1 message\$1 information data packets instruction)) with (access near2 point) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 14:01 |
| S131 | 83 | S129 and S130 aND S122 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 14:02 |
| S132 | 83 | S129 and S130 and S122 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 14:02 |
| S133 | 4 | 10/264807 and periodic\$4 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 14:02 |
| S134 | 0 | "20030110239" and (software same (server apparatus)) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 16:26 |
| S135 | 0 | "20030110239" and (software same (server)) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 16:26 |
| S136 | 1 | "20030110239" and ((software program) same (server apparatus)) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 16:26 |
| S137 | 1 | "20050165909" and software | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 16:56 |
| S138 | 1 | "20050165909" and (software program carrier) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 16:57 |
| S139 | 1 | "20050165909" and product | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 16:58 |

| | | | | | | |
|------|----------|--|---|----|----|---------------------|
| S140 | 1 | "20050165909" and without | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 17:29 |
| S141 | 1 | "20080037467" and de \$energized | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/08/11 18:13 |
| S142 | 612 | wake\$up near2 timer | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:02 |
| S143 | 14609814 | @ad<"20031219" @rlad<"20031219" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:02 |
| S144 | 435 | S143 and S142 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:03 |
| S145 | 2168 | 713/324,323.ccls. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:04 |
| S146 | 244 | S144 and (mobile wireless) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:04 |
| S147 | 228 | S146 and (network enar2 interface NIC) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:08 |
| S148 | 69 | S146 and (network near2 interface NIC) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:08 |
| S149 | 3 | S148 and S145 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:13 |
| S150 | 2 | S142 same (network near2 interface NIC) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:15 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S151 | 2 | S150 and S143 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:15 |
| S152 | 1210 | 713/324.ccls. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:16 |
| S153 | 11 | S152 and S142 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:16 |
| S154 | 8 | S153 and S143 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:16 |
| S155 | 1609 | 455/574.ccls. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:22 |
| S156 | 1125 | S155 and S143 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:22 |
| S157 | 22 | S156 and S142 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:22 |
| S158 | 1 | "20040100394" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 16:25 |
| S159 | 1 | "20040100394" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/10 17:06 |
| S160 | 111 | "6381636" "6532500" "6266721" "6332202" "6163849" "6073255" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S161 | 1 | "20050165909" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|----------|--|---|----|----|------------------|
| S162 | 12 | ("6003081" "6189108" "6263388" "6266696" "6282642").PN. OR ("6381636").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S163 | 111 | "6381636" "6532500" "6266721" "6332202" "6163849" "6073255" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S164 | 19 | S163 and ((access near2 point) hub) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S165 | 6047 | (Desktop near2 management near2 interface) (DMI) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S166 | 4581 | (management near2 information near2 format) (MIF) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S167 | 623642 | gateway\$1 (access near2 point) hub\$1 router\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S168 | 3 | (power near2 down) same (NIC) same S167 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S169 | 72 | (power near2 down) same (NIC) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S170 | 1 | S169 and (S165 and S166) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S171 | 106 | (S165 and S166) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S172 | 14610324 | @ad<"20031219" @rlad<"20031219" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|---------|---|---|----|----|---------------------|
| S173 | 42 | S171 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S174 | 15 | S173 and S167 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S175 | 1266466 | gateway\$1 (access near2 point) (AP) hub\$1 router\$1 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S176 | 5340864 | stor\$3 sav\$3 cach\$3 collect\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S177 | 1584 | asset with (mobile cellular wireless near2 phone) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S178 | 44 | S175 same S176 same S177 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S179 | 15 | S178 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S180 | 58 | S175 same S176 same (S177 or S166) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S181 | 19 | S180 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S182 | 2929 | S166 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S183 | 0 | S182 and (S167 with S176 with S166) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S184 | 2 | (S167 with S176 with S166) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S185 | 76 | (S167 with S176) and S166 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S186 | 49 | S185 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S187 | 12 | (S167 with S176 with request \$3) and S166 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S188 | 9 | S187 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S189 | 12 | (S167 with S176 with (request\$3 quer\$3)) and S166 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S190 | 4878 | (S175 near10 S176) with (request query inquiry) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S191 | 199 | S190 same transmit\$3 same (mobile cellular) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S192 | 104 | S191 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S193 | 1134 | gateway near10 stor\$3 near10 request\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S194 | 183 | S193 same (mobile cellular) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|--------|--|---|----|----|---------------------|
| S195 | 123 | S194 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S196 | 1566 | prox\$3 with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S197 | 897 | S196 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S198 | 218225 | prox\$3 (base near2 station) (point near5 presence) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S199 | 126063 | S198 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S200 | 218216 | prox\$3 (base near2 station) (point near5 presence) with S176 with (quer\$4 request \$3) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S201 | 126037 | S199 and S200 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S202 | 151 | S201 and S166 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S203 | 13097 | (prox\$3 (base near2 station) (point near5 presence)) with (poll\$3 quer\$4 request\$3) with (mobile cell\$5 pda wireless) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S204 | 8707 | S203 and S172 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S205 | 6545 | (prox\$3 (base near2 station) (point near5 presence)) with S176 with (quer\$4 request \$3) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|----------|--|---|----|----|---------------------|
| S206 | 1349 | S204 and S205 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S207 | 0 | S206 and S166 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S208 | 3806 | (access near2 point) near5 stor\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S209 | 14610324 | @ad<"20031219" @rlad<"20031219" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S210 | 2106 | S209 and S208 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S211 | 89 | (access near2 point) near5 stor\$3 near5 MAC near2 address | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S212 | 37 | S211 and S209 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S213 | 0 | ("2004/0120279").URPN. | USPAT | OR | ON | 2009/03/12 15:51 |
| S214 | 4 | "6982982" | USPAT | OR | ON | 2009/03/12 15:51 |
| S215 | 180 | (access near2 point) near5 stor\$3 near5 request\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S216 | 87 | S215 and S209 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S217 | 322929 | power near2 consumption | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|--------|--|---|----|----|---------------------|
| S218 | 6 | S215 and S217 and S209 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S219 | 356206 | power near2 (consumption down) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S220 | 17 | S215 and S219 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S221 | 6 | S220 and S209 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S222 | 0 | ("2004/0151147").URPN. | USPAT | OR | ON | 2009/03/12 15:51 |
| S223 | 3806 | (access near2 point) near5 stor\$3 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S224 | 363090 | power\$2 near2 (consumption down) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S225 | 260 | S223 and S224 and S209 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S226 | 1 | "7158778".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S227 | 11 | ("20020019215" "20030103451" "5504804" "5570366" "5654959" "5991287" "6091947" "6463307" "6507735" "6687504").PN. OR ("7158778").URPN. | US_PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S228 | 2 | ("2002/0019215").URPN. | USPAT | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|-------|---|---|----|----|---------------------|
| S229 | 15 | WOL near2 process | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S230 | 2176 | 455/412 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S231 | 11354 | 709/227 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S232 | 1 | "20050165909" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S233 | 1 | "6381636".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S234 | 1 | "20050165909" and forward | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S235 | 1 | "20050165909" and valid | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S236 | 1 | "6381636".pn. and hub | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S237 | 12 | ("6003081" "6189108" "6263388" "6266696" "6282642").PN. OR ("6381636").URPN. | US_PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S238 | 7 | "6684326".pn. "7003331".pn. "7082129".pn. "7146433".pn. "6925557".pn. "6687348".pn. "7185229".pn. | US_PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S239 | 2 | S238 and "AP" | US_PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|---------|---|------------------------------|----|----|---------------------|
| S240 | 2 | "20040002366" | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S241 | 2 | "20040002366" and "AP" | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S242 | 5 | "20050036467" "20040077353" "20040081076" "20020101557" "20030086515" | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S243 | 5 | "6532500".pn. "6266721".pn. "6332202".pn. "6163849".pn. "6073255".pn. | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S244 | 703309 | (acsss near2 point) "AP" | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S245 | 117967 | S244 same (database stor\$3 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S246 | 24036 | S244 with (database stor\$3 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S247 | 2 | S246 same (asset near2 information) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S248 | 328807 | access\$3 with information | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S249 | 4918880 | @ad<"20031219" @rlad<"20031219" | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S250 | 23348 | S248 and (power near2 (sav\$3 down off)) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S251 | 452 | S249 and S250 and S246 and S248 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S252 | 62988 | (Access near2 point) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S253 | 558 | S252 with cach\$3 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S254 | 347 | S253 and S249 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S255 | 28 | S252 with (cach\$3 with table) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|------|--|------------------------|----|----|------------------|
| S256 | 48 | S252 same (cach\$3 same (requested near2 (data content information))) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S257 | 34 | S256 and S249 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S258 | 19 | S257 and (request near2 server) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S259 | 1317 | (Access near2 point) same (request\$2 near2 information) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S260 | 759 | S259 and S249 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S261 | 158 | S260 and (power near2 (sav \$3 down off)) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S262 | 1 | "20050165909" and media | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S263 | 155 | (Access near2 point) same (request\$2 near2 information) same table | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S264 | 1 | (Access near2 point) same (request\$2 near2 information) same (address near2 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S265 | 256 | (Access near2 point) same (address near2 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S266 | 152 | (Access near2 point) with (address near2 table) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S267 | 90 | S266 and S249 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S268 | 4 | S266 and S249 and (stor\$3 near5 mobile near5 information) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S269 | 243 | ((access near2 point) AP) same (stor\$3 near5 mobile near5 information) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S270 | 109 | S269 and S249 | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S271 | 63 | ((access near2 point) AP) same (stor\$3 near5 mobile near5 information) and (((access near2 point) AP) with table) | US-PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|----------|---|---|----|----|---------------------|
| S272 | 31 | S271 and S249 | US_PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S273 | 241 | ((access near2 point) AP) same (valid\$5) same (stor\$3 near5 data) | US_PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S274 | 110 | S273 and S249 | US_PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S275 | 7184 | 709/228,227.ccls. | US_PGPUB; USPAT; USOCR | OR | ON | 2009/03/12 15:51 |
| S276 | 472 | periodic\$4 same (wake) same (power near2 (up down on off)) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S277 | 107 | S276 and (access near2 point) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S278 | 14610324 | @ad<"20031219" @rlad<"20031219" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S279 | 74 | S277 and S278 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S280 | 10907 | {stor\$3 request) with (access near2 point) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S281 | 97 | {stor\$3 near2 request) with (access near2 point) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S282 | 0 | S281 and S279 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S283 | 7096 | {stor\$3) with (access near2 point) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|------|--|---|----|----|---------------------|
| S284 | 6 | S283 and S279 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S285 | 1875 | periodic\$4 same (wake) same (power) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S286 | 3484 | ((stor\$3 buffer\$3) near2 (request\$1 message\$1 information data packets instruction)) with (access near2 point) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S287 | 92 | S285 and S286 aND S278 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S288 | 92 | S285 and S286 and S278 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S289 | 7 | 10/264807 and periodic\$4 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S290 | 0 | "20030110239" and (software same (server apparatus)) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S291 | 0 | "20030110239" and (software same (server)) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S292 | 1 | "20030110239" and ((software program) same (server apparatus)) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S293 | 1 | "20050165909" and software | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S294 | 1 | "20050165909" and (software program carrier) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|----------|---|---|----|----|---------------------|
| S295 | 1 | "20050165909" and product | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S296 | 1 | "20050165909" and without | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S297 | 1 | "20080037467" and de \$energized | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S298 | 613 | wake\$up near2 timer | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S299 | 14610324 | @ad<"20031219" @rlad<"20031219" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S300 | 435 | S299 and S298 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S301 | 2169 | 713/324,323.ccls. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S302 | 244 | S300 and (mobile wireless) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S303 | 228 | S302 and (network enar2 interface NIC) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S304 | 69 | S302 and (network near2 interface NIC) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S305 | 3 | S304 and S301 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |

| | | | | | | |
|------|------|---|---|----|----|---------------------|
| S306 | 2 | S298 same (network near2 interface NIC) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S307 | 2 | S306 and S299 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S308 | 1210 | 713/324.ccls. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S309 | 11 | S308 and S298 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S310 | 8 | S309 and S299 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S311 | 1610 | 455/574.ccls. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S312 | 1125 | S311 and S299 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S313 | 22 | S312 and S298 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S314 | 1 | "20040100394" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S315 | 1 | "20040100394" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/03/12 15:51 |
| S316 | 1 | "6381636".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2009/10/12 14:43 |

| | | | | | | |
|------|----------|--|---|----|----|---------------------|
| S317 | 1 | 10/147111 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 11:17 |
| S318 | 1 | "6477605".pn. | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 11:18 |
| S319 | 25 | WOL and (access adj point) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 11:18 |
| S320 | 14674452 | @ad<"20031219" @rlad<"20031219" | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 11:18 |
| S321 | 5 | S319 and S320 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 11:19 |
| S322 | 259 | NIC and power adj sav\$3 and (access adj point) | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 11:22 |
| S323 | 90 | S322 and S320 | US_PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2010/03/02 11:22 |

3/ 2/ 2010 5:35:02 PM

C:\ Documents and Settings\ ktang4\ My Documents\ EAST\ Workspaces\ 10742151.wsp